GISI Impact Factor 0.2310 January&March 2015 Volume-9 Number-1&2 ISSN 0973-9777 ijraeditor@yahoo.in



Science

The Indian Journal of Research Anvik Bi-monthly International Journal of all Research

Number-1&2

Volume-9

www.anvikshikijournal.com

Published on Behalf of the MPASVO in association with the Member's of Anvikshiki

& Saarc: International Journal of Research Asian Journal of Modern & Ayurvedic Medical Science Varanasi, U.P. INDIA



Anvikshiki The Indian Journal of Research

Bi-Monthly International Journal of All Research

Editor in Chief

Dr. Maneesha Shukla, maneesha shukla 76@rediffmail.com

Review Editors

Prof. H. D. Khanna,Head Department of Biophysics,Institute of Medical Sciences Banaras Hindu University,Varanasi U.P. India Ranjana S. Khanna,Department of Chemistry,Faculty of Science,Banaras Hindu University,Varanasi U.P. India

Editors

Dr. Mahendra Shukla, Dr. Anshumala Mishra

Editorial Board

Dr. Bhavna Gupta, Dr. Sapana Bharti, Dr. Pavan Kumar Dubey, Dr. Atul Pratap Singh, Dr. Sangeeta Jain, Dr. Arti Bansal, Dr. Rani Singh, Dr. Kanchan Dhingra, Dr. Gouri Chauhan, Dr. Rajesh, Dr. Kala Joshi, Dr. Nishi Rani, Dr. Madhulika, Dr. Renu Kumari, Anita Verma, Dr. Sweety Bandopadhaya, Dr. Pintu Kumar, Dr. Archana Sharma, Dr. Sunita Tripathy, Dr. Nilu Kumari, Asha Meena, Tanmay Chatterjee, Madhulika Sinha, Anand Raghuvanshi, Nand Kishore, Shyam Kishore, Renu Chaudhry, Vimlesh Singh, Akhilesh Radhwaj Singh, Dinesh Meena, Gunjan, Vineet Singh, Nilmani Tripathy, Anju Bala

International Advisory Board

Dr. Javad Khalatbari (Tonekabon, Iran.), Dr. Shohreh Ghorbanshiroudi (Tonekabon, Iran.), Mohammad Mojtaba Keikhayfarzaneh (Zahedan, Iran.), Saeedeh Motamed (Tonekabon, Iran.), Majid Karimzadeh (Iran), Phra Boonserm Sritha (Thailand), Rev.Dodamgoda Sumanasara (Kalutara South), Ven.Kendagalle Sumanaransi Thero (Srilanka), Phra Chutidech Sansombat (Bangkok, Thailand), Rev. T. Dhammaratana (Srilanka), P. Treerachi Sodama (Thailand), Sita Ram Bahadur Thapa (Nepal)

Manager

Maheshwar Shukla,maheshwar.shukla@rediffmail.com

Abstracts and Indexing

http://nkrc.niscair.res.in/browseByTitle.php?Keword=A, ICMJE in ICMJE, www.icmje.org, Account.com, banaras.academia.edu, ebookbrowse.com, BitLibrary! http://www.bitlib.net/, Tech eBooks, freetechebooks.com, artapp.net, Catechu PDF / printfu.org, Free Angy.www.fileaway.info, in the artage interes

Subscriptions

Anvikshiki, The Indian Journal of Research is Published every two months (January, March, May, July, September and November) by mpasvo Press, Varanasi.u.p.India. A Subscription to The Indian Journal of Research : Anvikshiki Comprises 6 Issues in Hindi and 6 in English and 3 Extra Issues. Prices include Postage by Surface mail, or For Subscription in the India by Speed Post. Airmail rates are also available on request. Annual Subscriptions Rates (Volume 9,6 Issues in Hindi,6 Issues in English and English and 2015):

Few Special Issues of Science 2015):

Subscribers

Institutional and Personal : Inland 5,000 +1000 Rs. P.C., Single 1500+100 Rs.P.C., Overseas 6000+2000Rs. P.C., Single 1000+500 Rs.P. C.

Advertising & Appeal

Inquiries about advertising should be sent to editor's address. Anvikshiki is a self financed Journal and support through any kind or cash shall be highly appreciated. Membership or subscription fees may be submitted via demand draft in faver of Dr. Maneesha Shukla and should be sent at the address given below. Sbi core banking cheques will also be accepted.

All correspondence related to the Journal should be addressed to

B.32/16 A., Flat No.2/1,Gopalkunj,Nariya,Lanka, Varanasi, U.P.,India Mobile : 09935784387,Tel.0542-2310539.,e-mail : maneeshashukla76@rediffmail.com,www.anvikshikijournal.com Office Time : 3-5 P.M.(Sunday off)

Journal set by : Maheshwar Shukla, maheshwar. shukla@rediffmail.com

Printed by : mpasvo Press

Date of Publication : 1 March 2015



Maneesha Publication (Letter No.V-34564,Reg.533/2007-2008) B-32/16-A-2/1,Gopalkunj,Nariya,Lanka Varanasi U.P. India

Anvikshiki

The Indian Journal of Research

Volume 9 Number 1&2 January & March 2015

Science Papers

Management of Liver Abscesses by Percutaneous Catheter Drainage 1-6 Dr. Sharadendu Bali and Rajiv Khurana

> A Conceptual Study on Rasayana 7-12 Dr. Dinesh Kr. Meena and Dr. Rani Singh

Cadaveric Dissection: An Effective Learning Tool in Anatomy 13-16 Pramod Anand Tiwari and Sakshi

Ayurveda and Modern Perspective of Breast-feeding in Newborn: A Review 17-22 Dr Ashutosh Kumar Pathak and Dr. H. H. Awasthi

Use of Herbal Drugs in the Management of Uterine Fibroids- A Clinical Study 23-25 Dr Amit Kumar Singh

> Indians Contributions to Origin of Mathematics 26-30 Md. Sanjeel and Ayaz Ahmed

Studies on Integer Linear Programming Problems with Fuzzy Variables 31-36 Rakesh Kumar Pandey and R. S. Roy

The Spectral Studies of Nickel(II) Complexes Multidentate Ligand 37-41 Darpan Singh and Vishrut Chaudhary

Circular Microstrip Patch Antenna with CSRR for Communication Systems 42-46 Binit Kr. Jha

> Studies on Microalgae Cultivation Technology 47-51 Annu Kumari

Single-mode Fibres and its Analysis 52-56 Madan Kr. Mahto

Effects of Maternal Employment Experiences on Children's Behavior Via Mood, Cognitive Difficulties, and Parenting Behavior 57-65 *Mili Kumari Singh and Dr. Bimal Kr. Choudhary*

Changes in Bimodal Oxygen Uptake of Obligate Air Breathing Fish, Anabas Testudineus (Bloch) 66-71 Navin Kumar Navendu and Dr. Onkar Mishra

> Studies on Metamaterial for High Directivity in Lowpermittivity 72-81 Dhanush Dhari Singh and Vinod Kumar Roy

Realization of Antenna For Communication Systems 82-85 Binit Kr. Jha

Analysis of Meta-materials with Two-dimensional Metallic Structures 86-95 Nitu Dubey

Studies on Work Stress Among Married Working Women 96-101 Anita Kumari

Intestinal Parasitic Infections Among School Children and Pregnant Women in a Low Socio-economic Area, Darbhanga District, (North Bihar) 102-105 *Umesh Kr. Jha*

> Studies on Conjugal Life and Marriage Conflict: An Overview 106-109 Anita Kumari

Studies on Biochemical Profile of Liver and Ovary In Zinc-exposed Fresh Water Murrel Channa Punctatus (Bloch) 110-114 Md. Shakir Hussain and Dr. A.K.Verma

> Studies on Cellular Communication Systems Using Smart Antenna 115-122 Vinod Kumar Roy and Dhanush Dhari Singh

Role of Prakriti in Management and Prognosis of Atisara in Children 123-128 N. Srivastava and V. Saxena

PRINT ISSN 0973-9777, WEBSITE ISSN 0973-9777

Letter No.V-34564,Reg.533/2007-2008 ANVIKSHIKI ISSN 0973-9777

ROLE OF PRAKRITI IN MANAGEMENTAND PROGNOSIS OF ATISARA IN CHILDREN

N. SRIVASTAVA* AND V. SAXENA**

Declaration

The Declaration of the authors for publication of Research Paper in The Indian Journal of Research Anvikshiki ISSN 0973-9777 Bi-monthly International Journal of all Research: We, *N. Srivastava and V. Saxena* the authors of the research paper entitled ROLE OF PRAKRITI IN MANAGEMENTAND PROGNOSIS OF ATISARA IN CHILDREN declare that , We take the responsibility of the content and material of our paper as We ourself have written it and also have read the manuscript of our paper carefully. Also, We hereby give our consent to publish our paper in Anvikshiki journal , This research paper is our original work and no part of it or it's similar version is published or has been sent for publication anywhere else. We authorise the Editorial Board of the Journal to modify and edit the manuscript. We also give our consent to the Editor of Anvikshiki Journal to own the copyright of our research paper.

Abstract

Ayurveda is a natural health care system that originated in India more than 5000 years ago. It emphasizes the treatment of disease in highly individualized manner as it believes that every individual is unique having different constitution. Ayurveda classifies all individuals into different 'Prakriti' types based on the theory of Tridosha and each type has varying degree of predisposition to different diseases. This is independent of racial, ethnic, or geographical considerations and may provide appropriate means of classifying phenotypes to be considered collectively for genotyping. Prakriti ,for its tangible impacts upon decision making in Ayurvedic clinical practice ,require a thorough and fool proof method of examination. Assessment of Prakriti and Vikritiin childrenis essential and enables the pediatrician to evaluate the metabolic imprinting, individual physiology, susceptibility to specific disease, prevention, diagnosis, treatment and as well as prognosis of diseases. Atisara (diarrhea) has been deal in much detail in Ayurvedic literature, but not in terms of children specially. It has to be of six types i.e. Vataja, Pittaja, Kaphaja, Sannipataja, Bhayaja and Shokaja (Aamaja). However certain specific disorder in which diarrhea is the major symptoms in children have been reported in ancient Ayurvedic literature like Ksheeralasaka, Graha Roga, (Putana, Sheet Putana, Andhaputana).Prakriti-based medicine and other traditional medicine systems have the potential to offer remedies to the challenging health issues like adverse drug reactions, drug withdrawals, and economic disparities among few.

Key words: Prakriti, VatajaAtisara, PittajaAtisara, KaphaAtisara, treatment, prognosis.

*Assistant Professor &Ph.D Scholar, Department of Kaumarbhritya/Balroga, FOAy [IMS] BHU. Varanasi (U.P.) India. e-Mail : nirajimsbhu@gmail.com **Ph.D Scholar, Department of ShalyaTantra [IMS] BHU. Varanasi (U.P.) India. e-Mail :nirajimsbhu@gmail.com

© The Author 2015, Published by Mpasvo Press (MPASVO). All rights reserved. For permissions e-Mail : maneeshashukla76@rediffmail.com & ijraeditor@yahoo.in. Read this paper on www.anvikshikijournal.com.

SRIVASTAVA AND SAXENA

Introduction

Prakriti is an important tool that explains individuality and has important role in prevention¹, diagnosis², indeciding the line of treatment of disease³ and forecast of future disorders. It explains unique but definite unchangeable traits, decided by specific and permanent configuration of dosha in an individual⁴. One or more than one dosha predominates at the time of conception which reflects the DoshikaPrakriti of an organism andcan be identified by Dosha specific characteristics manifested in growing individual⁵. The word Prakriti is derived from 'Pra' and 'Kriti', here 'Pra' means origin or beginning and 'Kriti' means to create or to act; while the Prakriti means constitution, disposition or fundamental form⁶. The word Prakriti is referred in many contexts, while the Vikriti is a Vikara (disorder) or pathological manifestation ⁷. Meaning of Vikara is a change of form or nature, alteration or deviation from any natural state and change of bodily or mental condition⁸. When, these Doshaare not in perfect equilibrium state (qualitative and quantitative) in the body, may present various abnormal clinical features termed as VaikritaDosha and finally lead to Vikara in the body. It is well-established concept that single DoshaPrakriti individuals frequently fall sick i.e. more vulnerable to various diseases, while Samyavastha (Equilibrium state) of threeDosha in an individual results in healthy state9. Knowledge about the Prakriti is prerequisite for assessment of Vikriti (pathology) hence it plays a very important role in deciding diagnosis, Therapeutics and prognosis¹⁰. It has, also, a decisive role in maintenance of health and cure of the disease, which is the prime objective of Ayurveda¹¹.

Ayurveda identifies the best set of substrates (Ahara and Vihara) useful to optimize the system performance referring to Prakriti Subtype. It is clear that knowledge of Prakriti subtype may go a long way in health maintenance by making one aware of suitable and unsuitable substances applicable on a one to one basis. Prakriti is also held responsible for disease susceptibility and drug behavior variations among people of similar age and physical profiles ^{12,13}. As per Ayurveda, Diarrhoea (Atisara) occurs because of abnormal and less potent digestive power (Agnidosha) and (Ajeerna). The clinical manifestations of Atisara are similar to 'Diarrhoea' in modern medicine which is treated with specific Antibiotics and Antispasmodics. The Classics describe; six types of Atisara viz. Vataj, Pittaj, Kaphaj, Sannipataj, Aamatisar and Raktatisar. Cardinal symptom of Infective Diarrhoea (Amatisara) is frequent passage of stools in liquid status alongwith fluids. ('*GudenBahu Drava Saranam'*)

Description of Atisara

The description of Atisara is available in each text book of Brihatrayi.^{14, 15, 16,17}. In Brihatrayi Charaka Samhita is most authentic and oldest book. CharakaSamhita has the complete description of Atisara in very elaborated form. Atisara has been a common problem in past and also in the present time. Sushruta¹⁸ and Vagbhatta¹⁹ both have mentioned that Krimi is also a causative factor for Atisara. Vijayarakshita has defined that Atisara is Excessive passage of liquid from anus.

The term Atisara is combination of two words-

ATI = Excessive

SARA = Passing of liquid matter through anus

This means excessive flow of watery stool through anus. Dalhana on his commentary on Sushruta Samhita stated that passing of watery stools in increased quantity is a characteristic feature of Atisara. However certain specific disorder in which diarrhea is the major symptoms have been reported in ancient Ayurvedic literature like Ksheeralasaka, Graha Roga, (Putana, Sheet Putana, Andhaputana). According to Ayurveda diarrhea is categorized under the diseases caused by Agni mandya- impaired digestive power. If we analyze the causes of diarrhea, we could conspicuously see almost all the causes

end up with Agni mandya. According to Ayurveda, Jatharagni [digestive power] consists of mainly three components; Pachaka Pitta, SamanaVata and KledakaKapha. Imbalance between any of these doshas causes Agni mandya. The result of Agnimandya is the accumulation of Ama [undigested food particles] within the digestive tract, and it leads to diarrhea.

Criteria for Making Diagnosis of Atisara as Per Doshic Features

According to Ayurveda on the basis of stool characteristic (stool color, stool smell, stool consistency, stool quantity, stool frequency and mucous/blood in stool) and associated features (vomiting, appetitive, fever and pain in abdomen) we can classify Vataja, Pittaja and Kaphajaatisara^{20, 21, 22}.

Vataja Atisara

- 1 Stool color; Black/Reddish
- 2 Stool smell; Not specific
- *3 Stool consistency;* Watery and this features is associated with other features of VataDosha like passage of stool with sound, frothy/pain/abdominal distension.
- 4 Stool Quantity; small quantity
- 5 Stool Frequency; If increased frequency was associated with the other features of Vataja such as watery, small quantity and painful defecation, included in VatajaAtisara.
- 6 Associated with Mucous and blood; VatajaAtisara is not associated with mucous and blood.
- 7 Other features associated with VatajAtisara; It is associated withPain in abdomen, Gargling sound but not associated with fever, vomiting and reduced appetite. It can be associated with upper respiratory tract infection but fever should not be associated.

Pittaja Atisara

- 1. Stool color; In PittajaAtisara stool color is mainly yellow color andthat is also age dependent e.g. during infantile period normal stool color is yellow [golden yellow color in breast feeder infants]. Green color of stool is usually considered under PittajaAtisara but the root cause of this feature is VataDosha because exaggerated Vata can enhances the intestinal motility which results in passage of bile salt in turn infant pass greenish colored stool. Therefore, if green color stool is associated with other features of Pittaja, is considered as Pittaja features and if not associated with Pittaja but has associated with Vataja like sound, frothy, pain etc is considered as Vataja features. However, the management requires correction of both Dosha.
- 2. *Stool smell;* This feature is considered as Pittaja feature when it is associated with fever, a specific feature of PittajaDosha.
- *3. Stool consistency;* Due to *Dravatva* and *Saratva*, stool may be watery or semi-liquid but this feature should also be associated with other features of Pittaja such as fever, yellow/green color, slimy but not due to presence of visible mucus
- 4. Stool Quantity; Not specific
- 5. Stool frequency; Forcefully and frequently
- 6. Associated with Mucous and blood; Not associated with mucous but can be associated with blood.
- 7. *Other features associated with PittajaAtisara;* Pittajaatisara is associated with fever but not associated with cough, reduced appetite and vomiting.

KaphajaAtisara

1. Stool color; White

- 2. *Stool smell;* foul smell is considered as a KaphajaDosha when it is not associated with fever but is associated with mucus/white color stool/ semi solid in combination.
- *3. Stool consistency;* Semisolid feature is usually present in KaphajaAtisara, usually this feature is associated with other features of KaphaDosha such as presence of mucus, nausea etc
- 4. Stool Quantity; Alpa [small quantity] is a feature of two type of Doshajaatisara i.e. Vataja and Kaphaja when this feature was associated with increased frequency, considered under VataDosha and if it was associated with mucus, nausea or relatively reduced appetite, considered as a feature of KaphajaDosha.
- 5. *Stool frequency;* Increase Frequency of stool can be consider as a features of KaphaajAtisara when associated with mucus [Shleshma], Picchilata [viscus or sticky].
- 6. Associated with Mucous and blood; This is Classical feature of Kaphajaatisara.
- 7. Other features associated with KaphajAtisara; Kaphajaatisara is associated with vomiting and reduced appetite but not associated with fever and pain in abdomen.

Pathogenesis and manifestation of disease

When etiological factors and constitutional factors are antagonistic to each other, disease is not produced. When these factors are synergistic only in few respects, complete manifestation doesn't occur and mild or latent type of disease is produced. When the permutation of these factors takes prolonged time, the disease also takes prolonged course to manifest. When their combination is synergistic to each other in all respects, the disease is manifested fully with all its clinical features.

Management of diseases according to Prakriti(constitution)

Ultimate goal of Ayurveda is to ensure complete and comprehensive health and all literature is all about maintenance of the status of equilibrium of body tissues.Plan of use of medication varies from patients to patient due to variations in their strength. For instance, if powerful or strong medication be used in debilitated patient, detrimental consequences may be obtained and if weak drugs be used in powerfully built patient or in patient suffering from severe disease, no effect will be achieved. Thus treatment may fail if patient is wrongly assessed ^{23,24}. Prakriti(constitution) assessment is the chief factor for analysis of strength of patient. It is also emphasized that while suffering from similar disease patients do not respond to similar treatment modality because of variation in their constitution This stresses the fact that strategy of treatment modalities is different in diverging patients ²⁵. Universal management principle of disease also lays emphasis on role of Prakriti(constitution) i.e. if those drugs are used which are antagonistic to Prakriti(constitution), the disease is cured ²⁶. In the description of DehaPrakriti(body constitution), it has been stated that particular doshicPrakriti(constitution) persons are prone to develop that type of doshajvikaras²⁷.Acharyashave also described measures for avoiding occurrence of these diseases by modifications in diet and lifestyle.In Sannipatikatisara first we treat Vata after that pitta and kapha.

Prognosis of diseases according to Prakriti(constitution)

While describing Sadhya-Asadhyata(curable & incurable diseases), Acharyahave enumerated Prakriti(constitution) of patient as one of the factors required to categorize the disease as Sukhasadhaya(one that can be cured easily), Kricchrasadhya(one that can be cured with some difficulty),Yapya (one which is palliable), and Asadhya(one which is absolutely irreversible). When etiological factor and Prakriti(constitution) is not of same type the disease is Sukhaadhaya(one that can be cured easily), when some similarity exists between the two, disease is Kricchrasadhaya(one that can be cured with some difficulty)²⁸. Acharyashave also appraised that some of the diseases are Yapya(one which is palliable) by their Prakriti(constitution)²⁹. AcharyaCharakahas specified an example of incurability of santatatype of jvara, saying that when doshasare homologous with the kala, dhatuand bodily constitution, incurable santatajvara(remittantfever) is produced³⁰. In Sannipatikatisara specific type of stool appearance are present (*varahsnehamansaambu like*)and in this condition Atisara is Kricchrasadhaya(one that can be cured with some difficulty.)

Summary and conclusion

Prakriti is considered better than Tridosaja or Sam-Prakriti, because of imbalance between some negative and positive characteristics in Eka-DosajaPrakriti . For example, if an infant has VatajaPrakriti then this infant will be more prone to develop Vataja disorders and the disease will be stronger than the other Dosa - dominant inducing disease. Prakritihas a role in selection of drug, dose ,anupana (vehicle) and samskara (processing).In specific Prakriti some drugs or procedures are indicated (Ghritafor vata and pitta Prakriti) or contraindicated (svedana for pitta prakriti).Prakriti of an individual illustrates numerous physiological functions as Agni (digestive and metabolic capacity), koshtha (digestive and excretory functions), Bala (strength of tissues) and life span are specific for each prakriti.

Source of support- Nil Conflict of interest- None Declared

References

¹*CharakaSamhita* – CharakaChandrika Hindi commentary vol-1 by DrBrahamanandTripathi sutra sthan 7/ 41, published by ChaukhambasubharatiPrakashan; 2009. p. 181.

²IbidemCharakaSamhita (1), Vimansthana 6/16. p. 707.

³*IbidemCharakaSamhita* (1), Sutra sthana 10/11. p. 220.

⁴AstangaHridayam-Vidyotini Hindi Commentary, by KavirajaAtrideva Gupta, edited by Vaidya Yadunandana Upadhyay, Sutra sthana 1/10, published by ChaukhambaPrakashan; 2009.

⁵*IbidemCharakaSamhita* (1), Vimansthana 8/95. p. 758.

⁶MONIER WILLIAMS, Sanskrit English dictionary, MotilalBanarasidas Publication; 2002. p. 654.

⁷*IbidemCharakaSamhita* (1), Vimansthana 8/101.

⁸MONIER WILLIAMS, Sanskrit English dictionary, MotilalBanarasidas Publication; 2002. p. 954.

⁹IbidemCharakaSamhita (1), Sutra sthana 7/39-40. p. 763.

¹⁰IbidemCharakaSamhita (1), Sutra sthana 10/11-13. p. 220.

¹¹*IbidemCharakaSamhita* (1), Sutra sthana 7/41-44. p. 181.

¹²PATWARDHAN B. BODEKER G. Ayurvedic genomics: establishing a genetic babsis for mind body typologies. J Altern Complement Med 2008; 14:571-6.

¹³DAHANUKAR SA, THATTE UM. Current status of ayuveda in phytomedicine. Phytomedicine 1997;4:359-68. ¹⁴ACHARYAYADAVAJI ТRІКАМЛ. CharakaSamhitaChikitsasthan 19. ChaukhambhaSanskritaSansthan Varanasi 1997.

¹⁵SHASTRI AMBIKA DATTA. SusrutaSamhitaUttaratantra 3. ChaukhambhaSanskritaSansthan Varanasi 1997.
 ¹⁶GUPTA KAVIRAJA ATRIDEVA, AstangHrdayamNidansthan 8. ChaukhambhaSanskritaSansthan Varanasi 1997.

¹⁷GUPTA KAVIRAJA ATRIDEVA, AstangHrdayamChikitsasthan 9. ChaukhambhaSanskritaSansthan Varanasi 1997.

¹⁸SHASTRI AMBIKA DATTA. SusrutaSamhitaUttaratantra (40/3-5). ChaukhambhaSanskritaSansthan Varanasi 1997.

¹⁹GUPTA KAVIRAJA ATRIDEVA, AstangHrdayamUttaratantra (9/1-3). ChaukhambhaSanskritaSansthan Varanasi 1997.

²⁰*IbidemCharakaSamhita* (1), chikitsasthana 19/5-6-7.

²¹SHASTRI AMBIKA DATTA. SusrutaSamhitaUttaratantra 40/11. ChaukhambhaSanskritaSansthan Varanasi 1997. ²²Madhava-Nidana 3/6 with the 'Madhukosa' Sanskrit commentary by Srivijayaraksita and Srikanthadatta with the 'Vidyotini' Hindi commentary by ShriSudarsanaSastri,., Chaukhambha Sanskrit Sansthan, Varanasi (India).

²³*CharakaSamhita(text with English Dipika)*. Edited by Sharma RK, Bhagwan Dash. Chaukhambha Sanskrit Series Office. Vol II VimanaSthana 8/94 p 261. Varanasi: Reprint 2009.

²⁴SushrutaSamhita, NibandhaSangrahaCommentry by Dalhana,edited by AcharyaYadavajiTrikamji, Published by ChaukhambhaOrientalia, Varanasi, 1994. ,SutraSthana 39/10,p 411.

²⁵CharakaSamhita(text with English Dipika). Edited by Sharma RK, Bhagwan Dash. Chaukhambha Sanskrit Series Office. Vol I Sutra Sthana 1/123,13/77 p 197,198.. Varanasi: Reprint 2009.

²⁶*CharakaSamhita(text with English Dipika)*. Edited by Sharma RK, Bhagwan Dash. Chaukhambha Sanskrit Series Office. Vol I Sutra Sthana 1/62 p 44.. Varanasi: Reprint 2009.

²⁷*CharakaSamhita(text with English Dipika)*. Edited by Sharma RK, Bhagwan Dash. Chaukhambha Sanskrit Series Office. Vol II VimanaSthana 6/15 p 192. Varanasi: Reprint 2009.

²⁸*CharakaSamhita(text with English Dipika)*. Edited by Sharma RK, Bhagwan Dash. Chaukhambha Sanskrit Series Office. Vol I Sutra Sthana 10/9,10 p 197,198.. Varanasi: Reprint 2009.

²⁹BhaisajyaRatnavali, 3/6 'Vidyotini'Hindi commentary by ShriAmbikadattaShastri, Chaukhambha Sanskrit Sansthan, Varanasi-221001 (India), 2005.

³⁰*CharakaSamhita(text with English Dipika)*. Edited by Sharma RK, Bhagwan Dash. Chaukhambha Sanskrit Series Office. Vol I Sutra Sthana 10/11 p 197,198.. Varanasi: Reprint 2009.

Note for Contributors

SUBMISSION OF PAPERS

Contributions should be sent by email to Dr. Maneesha Shukla Editor-in-Chief, Anvikshiki, The Indian Journal of Research (maneeshashukla76@rediffmail.com). www.onlineijra.com

Papers are reviewed on the understanding that they are submitted solely to this Journal. If accepted, they may not be published elsewhere in full or in part without the Editor-in-Chief's permission. Please save your manuscript into the following separate files-*Title; Abstract; Manuscript; Appendix.* To ensure anonymity in the review process, do not include the names of authors or institution in the abstract or body of the manuscript.

Title: This title should include the manuscript, full names of the authors, the name and address of the institution from which the work originates the telephone number, fax number and e-mail address of the corresponding author. It must also include an exact word count of the paper.

Abstract: This file should contain a short abstract of no more than 120 words.

MANUSCRIPT: This file should contain the main body of the manuscript. Paper should be between 5 to 10 pages in lenth, and should include only such reviews of the literature as are relevant to the argument. An exact word count must be given on the title page. Papers longer than 10 pages (including *abstracts, appendices and references*) will not be considered for publication. Undue length will lead to delay in publication. Authors are reminded that Journal readership is abroad and international and papers should be drafted with this in mind.

References should be listed alphabetically at the end of the paper, giving the name of journals in full. Authors must check that references that appear in the text also appear in the References and *vice versa*. Title of book and journals should be italicised.

Examples:

BLUMSTEIN, A. and COHEN, J. (1973), 'A Theory of Punishment' *Journal of Criminal Law and Criminology*, 64:198-207 GUPTA, RAJKUMAR (2009), *A Study of The Ethnic Minority in Trinidad in The Perspective of Trinidad Indian's Attempt to Preserve Indian Culture*, India: Maneesha Publication,

RICHARDSON, G(1985), Judicial Intervention in Prison Life', in M. Maguire , J. Vagg and R. Morgan, eds., *Accountability* and *Prisons*, 113-54. London: Tavistocs.

SINGH, ANITA. (2007), My Ten Short Stories, 113-154. India: Maneesha Publication.

In the text, the name of the author and date of publication should be cited as in the Harvard system(e.g.Garland 1981: 41-2;Robertson and Taylor 1973;ii.357-9)If there are more than two authors, the first name followed by *et al.* is manadatory in the text, but the name should be spelt out in full in the References. Where authors cite them as XXXX+date of publication.

Diagrams and tables are expensive of space and should be used sparingly. All diagrams, figures and tables should be in black and white, numbered and should be referred to in the text. They should be placed at the end of the manuscript with there preferred location indication in the manuscript(e.g.Figure 1 here).

Appendix: Authors that employ mathematical modelling or complex statistics should place the mathematics in a technical appendix.

NOTE: Please submit your paper either by post or e-mail along with your photo, bio-data, e-mail Id and a self-addressed envelop with a revenue stamp worth Rs.51 affixed on it. One hard copy along with the CD should also be sent. A self-addressed envelop with revenue stamp affixed on it should also be sent for getting the acceptance letter. Contributors submitting their papers through e-mail, will be sent the acceptance letter through the same. Editorial Board's decision will be communicated within a week of the receipt of the paper. For more information, please contact on my mobile before submitting the paper. All decisions regarding members on Editorial board or Advisory board Membership will rest with the Editor. Every member must make 20 members for Anvikshiki in one year. For getting the copies of 'Reprints', kindly inform before the publication of the Journal. In this regard, the fees will be charged from the author.

COPYRIGHT of the papers published in the Journal shall rest with the Editor.

Other MPASVO Journals Saarc: International Journal of Research (Six Monthly Journal) www.anvikshikijournal.com

Asian Journal of Modern & Ayurvedic Medical Science (Six Monthly Journal) www.ajmams.com



